



Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo	
Company name *	Lexmark International,		TM.
Contact information * e-mail address	Troy Foster (USA) Email: Sustainability@lexmark.com		Lexmark
Internet site *	www.lexmark.com/TED and csr.lexmark.com		
Additional information		•	

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Multi-Function Monochrome laser devices				
Commercial name *	Lexmark MB2236adwe				
Model number *	MB2236adwe				
Issue date *	20 May 2021				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model number *		MB2236adwe	Logo			■ 7M		
Issue date	ssue date * 20 May 2021			Lex	×m	ark		
			_					
Product e	ct environmental attributes - Legal requirements			Require	Requirement met			
Item		Yes	No	n.a.				
		ous substances and preparations						
	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)							
(Commer	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.		\boxtimes	Ш			
 	hydrobro trichloroe concentr	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetract ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum					
1	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).						
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀				
	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀				
		Article 33 information about substances in articles is available at (add URL or mail of ability@lexmark.com	contact):	\boxtimes				
	Batterie							
	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
-	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): www.lexmark.com/regulatory							
	The product complies with the Eco design requirements for energy-related products, (see legal reference).			\boxtimes				
	Required information is; given in item P15 or added to this document, available at (add URL): www.lexmark.com/regulatory							
P4	Consum	able materials						
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium ma erence and NOTE B1).	x 0,01% (see					
	If ink/toner is used in the product, it does not contain cadmium max 0,1% by weight (see legal reference).			\boxtimes				
;								
		packaging						
	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.							
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) X				
(The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
P6 1	Treatme	nt information						
	Information for recyclers/treatment facilities is available (see legal reference).							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

lodel number *	MB2236adwe	Logo	TM
sue date *	20 May 2021		Lexmark

	environmental attributes - Market requirements (See General NOTE GN below) Environmental conscious design	Require	ement	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	Yes No n.a.		
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	\times			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\times			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\times			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X			
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			\boxtimes	
P7.9.	Spare parts are available after end of production for: 5 years	\boxtimes			
P7.10	Service is available after end of production for: 5 years	\times			
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:				
P7.12	Insulation materials of external electrical cables are PVC free.		\times		
P7.13	Insulation materials of internal electrical cables are PVC free.		\times		
	ternal plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\boxtimes		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:		Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16	\boxtimes			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16/17/30/4	10 🔀			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See NOTE B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine whichare included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	MB2236a	236adwe			Logo			
Issue date *	20 May 20	y 2021			Lexmark			
Product environ	mental att	ributes - Market re	quirements (cor	ntinued)	Requirement met			
Item					Yes No n.a.			
		ance requirements (
		aterial content is used of the two alternatives						
				c material content (calcul	ated as a percentage of			
to	tal plastic by		•	,	, ,			
or b) Th	ne weight of t	the biobased plastic m	aterial is g.					
		ee from mercury, i.e. le pecify: Number of lam		np. .imum mercury content pe	er lamp: mg			
P8 Batteri		. ,	•					
		mposition: Lithium ma	anganese					
		ion (See NOTE B8)	angunooo					
0,	-	following power levels	or energy consum	otions are reported:				
Energy mode *		Power level at	Power level at	•	Reference/Standard for energy			
Lifergy mode		100 V AC	115 V AC	230 V AC	modes and test method *			
Sleep mode for EN		W	W	W				
STAR® Operational (OM) products	ii iviode							
Standby/off mode f	or	W	W	W	X			
ENERGY STAR Operational								
Mode (OM) products		kWh/week	0.53 kWh/week	0.53 kWh/week	Energy Star V3.0			
TEC value for ENERGY STAR TEC products		KWII/Week	0.55 KWII/Week	0.33 KWII/WEEK	Ellergy Star VS.0			
(TEC= Typical Ene	rgy							
Ready		W	5.75 W	5.58 W	Corporate Standard			
Sleep		W	1.061 W	1.045 W	Energy Star V3.0			
Off		W	0.078 W	0.179 W	Energy Star V3.0			
Printing		W	448 W	451 W	Corporate Standard			
Сору		W	438 W	415 W	Corporate Standard			
		W	W	W				
External Power Sup	oply Efficiend	cy Level (International	Efficiency Marking I	Protocol) * :				
Print/Scan Speed *	:	34 images per minute						
Default time to ente	er energy sav	ve mode: 15 minutes			Energy Star V3.0			
P9.2* Informa	P9.2* Information about the energy save function is provided with the product.							
		Declared according to	ISO 9296 (See NO		voiabted accord according			
P10.1 Mode	IV	lode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
Idle	Idle * Idle / Ready / Sleep / Hibernate * 3.1							
Operat	Operation * Simplex Monochrome Printing		e Printing	* 6.7				
Other mode		6.4						
Measu	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							
(etti) ii neteetees sy 2etti t 1								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

Model number *		MB2236adwe				Logo			714
Issue date *		20 May 2021					Lex	mc	ırk
Product environmental attributes - Market requirements (continued) Require								ment	met
Item							Yes	No	n.a.
		•	rinting products (See No						
P10.2*	Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic Equipment (ISO/IEC 28360), other specify: DE-UZ 205								
P10.3	Typical	emission rate (operati	on phase) is (mg/h):						
	Electrop	photographic devices:	Ozone <0.23 Dust 0.84	Styrene 0.06 B	enzene 0.016 T\	VOC 5.635			
	Ink devi	ces:	Dust	Styrene	Benzene	TVOC			\boxtimes
	Note: co	ompliance with maxim	um emission rates in eco	labels to be declar	ed in P14.				
P11	Consur	nable materials for p	rinting products						
P11.1*	A Safet	y Data Sheet (SDS) is	available for the ink/tone	r preparation, even	if not legally requ	ired (see P4.3).	\times		
P11.2*	Paper of EN 122		mer recycled fibers can	be used, provided	that it meets th	ne requirements of	X		
P11.3*	2-sided	(duplex) printing/copy	ring is an integrated produ	ct function.			\boxtimes		
P11.4*	The pro	duct is delivered to en	d-user with default auto-d	uplex enabled.			\boxtimes		
P13	Packag	ing and documentat	ion						
P13.1*	• •								
P13.2*	Product plastic primary packaging is free from PVC.								
P13.3*									
P13.4*	Specify media for user and product documentation (tick box): Electronic , Paper , Other								
P13.5	(Please only complete this item if paper documentation used)								
	User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free								
	Elemental chlorine-free								
	Process	sed chlorine-free							
P14	Volunta	ary programs:							
P14.1	The pro	duct meets the require	ements of the following vo	luntary program(s)	•				
		SY STAR®	Criteria version: V3.0	Date:		category: Imaging	Equipme	ent	
	Eco-lab Eco-lab		Criteria version: Criteria version:	Date: Date:		category:			
P15		nal information (See		Date.	TTOGGC	category.			
		(000	,						
L									

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037 / 2000 , 2038 / 2000 , 2039/ 2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013 / 56 / EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801 / 2013 amending Regulation (EC) No 1275/ 2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907 / 2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1